




REVIT MANUAL

Fire damper
FD25 | FD40



SUMMARISED REVIT BIM MANUAL SOLID AIR MODELS

SUMMARISED MANUAL REVIT BIM-MODELS SOLID AIR



Text	
SACS_Warning_Text_Flow	
SACS_Warning_Text_Size	
Dimensions	
NLRS_M_c01_breedte	300.0
NLRS_M_c01_hoogte	300.0
NLRS_C_lengte	350.0
SACS_Duct_Width	300.0
SACS_Duct_Height	300.0
Size	300 x 300 - 300 x 300
Mechanical - Flow	
NLRS_M_c01_debiet	0.00 L/s
NLRS_M_c01_drukverlies_statisch	0.00 Pa
SACS_Air_Velocity	0.00 m/s
SACS_Lp_dBA	0
SACS_Nominal_Min_Flow	180.00 L/s
SACS_Nominal_Max_Flow	900.00 L/s
SACS_Use_Manual_Airflow	<input type="checkbox"/>
SACS_Manual_Airflow	0.00 L/s
Pressure Drop	
Identity Data	
NLRS_C_model	FD25 O M230S O 300 x 300
SACS_Article_Code	92500T1526
SACS_Gross_Cost	572.00
SACS_Price_Date	1-10-2021
Sacs Type_Mark	

Warnings when outcomes are outside the given threshold values.

Nominal width duct.

Nominal length duct.

Length of the fire damper.

Corrected available width damper.

Corrected available height damper.

Air flow*.

Air velocity with volume.

Static pressure loss at airflow.

Sound power level at airflow.

Enter volume manually.

Manual volume.

Article name selected damper.

Order number**.

Gross price**.

Validity date price.

Model Properties		
SACS_Option_1	O = geen frame	Frame version.
SACS_Option_2	M230S = Belimo 230V	Operating version.
SACS_Option_3	O = Geen Accessoire	Smoke sensor accessory.
SACS_Belimo_Rotation (1-2)	1	Rotation of motor operation (if applicable).
Visibility		
SACS_Disable_Warning	<input type="checkbox"/>	Hide warning on model.

Notes

*The air volume that forms the basis for the duct calculations can be entered manually or it can be determined by the system (default). When an air volume has been entered manually, this does not impact the air volumes that Revit calculates further on in the duct system.

**The order number is only given when it concerns a standard product with a standard color. In terms of the price, the color-change surcharge is not included in the gross price. The price of the color itself is included in the price.

Accessories

The options that are available for the FD25 and FD40, are also available in this model. The smoke sensor is the exception. If a smoke sensor is required, the model with the sensor must be used.



Solid Air International
A. PO Box 14, 9610 AA Sappemeer
T. +31 598 36 12 21
E. contact@solid-air.com
W. www.solid-air.com