




REVIT MANUAL



Hybrid Climate-ceiling Island

HESA



SUMMARISED REVIT BIM MANUAL SOLID AIR MODELS

SUMMARISED REVIT BIM MANUAL SOLID AIR MODELS



Materials and Finishes	
SACS_Color	RAL 9010-55
SACS_Custom_Color_1	NLRS_57_ral9010-55_perforated
SACS_Custom_Color_2	NLRS_57_ral9010-55_perforated
SACS_Custom_Color_3	NLRS_57_ral9010-55_gen_sacs
Dimensions	
NLRS_M_c01_diameter	100.0
NLRS_P_c01_diameter	15.0
NLRS_P_c02_diameter	15.0
NLRS_C_breedte	1300.0
NLRS_C_lengte	2500.0
Mechanical	
NLRS_P_c01_volumestroom	0.00 L/s
NLRS_P_c01_drukverlies_statisch	0.000000 Pa
Mechanical - Flow	
NLRS_M_c01_debiet	0.0000 m³/h
NLRS_M_c01_drukverlies_statisch	0.000000 Pa
Identity Data	
NLRS_C_model	HESA-R 2500x1300 RAL9010-55
NLRS_C_materiaal_kleur	RAL9010-55
SACS_Type_Mark	
Model Properties	
SACS_Throw	HESA
Color option (0-4)	0
SACS_Option_5	RAL9010-55
SACS_Costum_Color	
Water connection Right	☒
Add LED panel	☐

Enter diffuser colour.

Enter custom colour (material)*.

Nominal air connection diameter.

Nominal water connection diameter (in).

Nominal water connection diameter (out)

Width of the panel.

Length of the panel.

Water flow.

Pressure loss water

Air volume.

Pressure loss air.

Article name selected climate-ceiling island****.

Entered colour.

Basic code panel.

Select colour type.

Selected colour type.

Enter custom colour (text)*.

Water-side right or left connection**.

Add LED panel***.

Notes

*If a different colour is required for the panel, the view of the model can be given a different colour. For this model, the material consists of 3 elements: Perforated round 16 mm, perforated round 40 mm, and smooth sprayed. Make a copy in the required colour for all three materials and apply. The model contains the standard materials for RAL 9010-55, RAL 9016-30, and RAL 9016-70.

**Right is seen from the connection side of the panel, right from the air connection. The front water connection is defined as ingoing, the rear one as outgoing.

***If ticked, 1 or 2 LED panels will be added (in function of the selected model size).


****HESA can be configured to a significant extent upon request. Therefore, the article name is a basic code. On a project basis and/or room basis, the panels may be given different codings that are specific to the project or the room.

Do not use those article names to make an actual order.

Possible configurations

Colour option (0-4)

0	Standard RAL 9010-55
1	Standard RAL 9016-30
2	Standard RAL 9010-70
3	Non-standard colour, RAL
4	Non-standard colour, not RAL





Solid Air International

A. PO Box 14, 9610 AA Sappemeer

T. +31 598 36 12 21

E. contact@solid-air.nl

W. www.solid-air.com