

WOOOK

Accessory for wall diffusers
Click frame for wall diffuser

Available types

W O O O K -

W accessory for wall diffuser

O not applicable

O not applicable

O not applicable

K click frame

- **for diffuser type**

O WTHA, WRHA

W WUAA, WUBA, WUCA

SA-Select

Check SA-Select to create extended order codes and selection details online. **NB!** At this moment, SA-Select is only available in Dutch. But it is possible to create extended order codes and selection details online.

Use


The WOOOK click frame is suitable for mounting wall diffusers in a removable set-up. The diffuser has spring clips that snap into the click frame. The click frame should only be used in a static situation.

Version

Material: sendzimir galvanised steel

Post-treatment: none

Dimensions WOOOKO (WTHA and WRHA)




Available dimensions and sizes

W x H	WOOOKO	
	C	E
225 x 75	234	80
225 x 125	234	130
225 x 225	234	230
225 x 325	234	330
325 x 75	334	80
325 x 125	334	130
325 x 225	334	230
325 x 325	334	330
425 x 75	434	80
425 x 125	434	130
425 x 225	434	230
425 x 325	434	330
525 x 75	534	80
525 x 125	534	130
525 x 225	534	230
525 x 325	534	330
625 x 75	634	80
625 x 125	634	130
625 x 225	634	230
625 x 325	634	330

Note

- The listed dimensions are in mm.
- Recess size: WOOOKO = $W + 18$ mm $H + 14$ mm
- Interim sizes available in increments of 5 mm.

Dimensions WOOCKW (WUAA, WUBA and WUCA)



Available dimensions and sizes

W x H	WOOCKW	
	C	E
225 x 85	220	80
225 x 125	220	120
225 x 225	220	220
225 x 325	220	320
325 x 85	320	80
325 x 125	320	120
325 x 225	320	220
325 x 325	320	320
425 x 85	420	80
425 x 125	420	120
425 x 225	420	220
425 x 325	420	320
525 x 85	520	80
525 x 125	520	120
525 x 225	520	220
525 x 325	520	320
625 x 85	620	80
625 x 125	620	120
625 x 225	620	220
625 x 325	620	320

Note

- The listed dimensions are in mm.
- Recess size: WOOCKW = $W + 5$ mm $H + 4$ mm
- Interim sizes available in increments of 5 mm.